

Chemical Waste Log Guidance

(PLEASE READ CAREFULLY)

1. **Accumulation START Date:** List the date contents were FIRST added to the container.
2. **Container Description:** Identify the container by type, size, location, and any other relevant information. Some examples are: 1L poly bottle; 50ml glass vial #1; 1 gal. plastic Ziploc bag; in the fume hood; in the flammable cabinet; etc...
3. Multiple containers with **identical** contents and compositions may be grouped together on one log – Please specify the total number in the Container Description. Otherwise – ONE Chem Waste log is required for EACH container.
4. Specify **pH** and **Flash Point** for the entire contents based on SDS or Process Knowledge.
5. **Nanomaterials** are classified as anything under 100 nm (0.1 microns) in size and should be identified *per line item*.
6. Every **Constituent** in the container must be identified separately by *full chemical name*.
7. All components of a “Solution” should be identified, including their ratio.
8. Include the SDS CAS number for every line item.
9. The amount of each constituent can be approximated as a **% or % Range** (i.e. 5-10%), or list actual volume of each (oz, mL, etc.).
10. Solid Waste includes any item contaminated with hazardous materials.
11. Solid Waste should be specified (gloves, wipes, swabs, pipette tips, empty vials, tubing, etc.), listed as 100%, and identify the hazardous contaminants (i.e. trace amounts of...)
12. Hard copies of forms should be attached to the waste containers, as well as *emailed* to the Beamline Safety Coordinator along with all SDS and supporting documents.
13. SDS for synthetic materials should be discussed with the Argonne ESH-QA Safety Manager. Contact Steve Rupkey at srupkey@anl.gov.

Waste Container Guidance

1. Liquid waste containers must have secure lids – *no snap-on lids allowed!* – and filled to no more than 85% of capacity. Ziploc bags are allowed for solid waste.
2. **ALL waste containers must be properly labeled with your name, date, contents, and be specified as "Hazardous Waste" or "Non-hazardous Waste"**.
3. Compatible waste should be consolidated into as few containers as possible, with the following exception – Nanomaterials should be kept isolated from larger amounts of chem waste that is otherwise void of nanomaterials.
4. Please try to minimize generated waste whenever possible.
5. Syringe needles and blades, etc. must be placed in appropriate Sharps containers only.
6. Tubing and Non-sharp syringes should be emptied of hazardous contents and treated as solid waste. (remnants only)

Chemical Waste Log – Sector: _____

NOTE: To preserve all data & functionality, please download and save this form BEFORE filling it out!

Name (Waste Generator)	Phone # (Waste Generator)	Accumulation START Date
E-mail (Waste Generator)	Principal Investigator	Experiment ID / GUP # (from ESAF)
Process Knowledge: Description of how waste was generated (please check all that apply)		
<input type="checkbox"/> Waste is discarded sample material.	<input type="checkbox"/> Waste was used to prepare sample material or its holders.	
<input type="checkbox"/> Waste is discarded PURE reagent grade chemical.	<input type="checkbox"/> Contains potential peroxide formers. (attach WMDS-0333)	
<input type="checkbox"/> Other:		

Container Description / Location / ID # <i>(size, plastic or glass, etc. – ONE form per container)</i>	Physical Form	For Liquids:		Do contents include nanomaterials? (< 100 nm)
		<i>pH =</i>		
	<input type="checkbox"/> Liquid	Flash Point < 140° F (ignitable)		YES <input type="checkbox"/>
<input type="checkbox"/> Solid	Flash Point > 140° F		NO <input type="checkbox"/>	

Constituents: Provide Complete Chemical Name (Not just formulas) And SDS CAS No. for each chemical.		% or % Range
MSDS CAS# :		
MSDS CAS# :		
MSDS CAS# :		
MSDS CAS# :		
MSDS CAS# :		
MSDS CAS# :		
MSDS CAS# :		
MSDS CAS# :		
MSDS CAS# :		
MSDS CAS# :		
MSDS CAS# :		
MSDS CAS# :		
MSDS CAS# :		
MSDS CAS# :		
MSDS CAS# :		
Total Material = (volume or weight)	(Use a 2 nd logsheet or double-up on each line for more constituents...)	Total ~ 100%
RCRA (F-K-P-U) Listed or Characteristic Hazardous Waste?	YES <input type="checkbox"/> NO <input type="checkbox"/>	Corrosive <input type="checkbox"/> Toxic <input type="checkbox"/> Ignitable <input type="checkbox"/> Oxidizer <input type="checkbox"/> Reactive <input type="checkbox"/> Other:

- **Waste container must be properly labeled with your NAME, DATE, CONTENTS, and HAZARDS!**
- **Please send completed forms & SDS and direct any questions to your Beamline Safety Office.**
- **The Beamline Safety Officer is:**